

# Nextcloud

## Services

### MariaDB

#### Env

- MYSQL\_ROOT\_PASSWORD

#### Volumes

- /var/lib/mysql

#### Command

- `--transaction-isolation=READ-COMMITTED --binlog-format=ROW`

# Nextcloud

#### Env

- APACHE\_DISABLE\_REWRITE\_IP
- OVERWRITEHOST
- OVERWRITEPROTOCOL
- OVERWRITEWEBROOT
- PHP\_MEMORY\_LIMIT
- PHP\_UPLOAD\_LIMIT
- TRUSTED\_PROXIES
- PGID
- PUID
- TZ

#### Volumes

- /var/www/html
- /var/www/html/data

# Stack

```
version: '3'
```

```
services:
```

```
  db:
```

```
    image: mariadb:10.5
```

```
    restart: always
```

```
    command: --transaction-isolation=READ-COMMITTED --binlog-format=ROW
```

```
    volumes:
```

```
      - mariadb:/var/lib/mysql
```

```
    environment:
```

```
      - MYSQL_ROOT_PASSWORD=${MYSQL_ROOT_PASSWORD}
```

```
    networks:
```

```
      - nextcloud_network
```

```
  app:
```

```
    depends_on:
```

```
      - db
```

```
    image: nextcloud:latest
```

```
    restart: always
```

```
    volumes:
```

```
      - config:/var/www/html
```

```
      - ${NEXTCLOUD_DATA_PATH}:/var/www/html/data
```

```
    environment:
```

```
      APACHE_DISABLE_REWRITE_IP: 1
```

```
      OVERWRITEHOST: nextcloud.mydomain.fr
```

```
      OVERWRITEPROTOCOL: https
```

```
      OVERWRITEWEBROOT: /
```

```
      PHP_MEMORY_LIMIT: 4G
```

```
      PHP_UPLOAD_LIMIT: 10G
```

```
      TRUSTED_PROXIES: IPV4 Gateway - 10.0.3.1
```

```
      PGID: ${PGID}
```

```
      PUID: ${PUID}
```

```
      TZ: ${TZ}
```

```
    networks:
```

```
      - proxy_network
```

```
      - nextcloud_network
```

```
volumes:
```

```
config:
```

```
mariadb:
```

```
networks:
```

```
  proxy_network:
```

```
    external: true
```

```
  nextcloud_network:
```

---

Revision #1

Created 24 October 2022 09:06:33 by Noé Larrieu-Lacoste

Updated 24 October 2022 09:08:21 by Noé Larrieu-Lacoste