

Les fonctions

```
func printInfoNoParam() {
    fmt.Printf("Name=%s, age=%d, email=%s\n", "Bob", 10, "bob@golang.org")
}

func printInfoParams(name string, age int, email string) {
    fmt.Printf("Name=%s, age=%d, email=%s\n", name, age, email)
}

func avg(x, y float64) float64 {
    return (x + y) / 2
}

func sumNamedReturn(x, y, z int) (sum int) {
    sum = x + y + z
    return // c pas bo hein ...
}

func main() {
    printInfoNoParam()
    printInfoParams("Noé", 15, "noe@flex.org")

    result := avg(16.3, 25.0)
    fmt.Printf("Average result=%f\n", result)

    sum := sumNamedReturn(10, 25, 7)
    fmt.Printf("Sum result=%d\n", sum)
}
```

Multiples return

```
func ToLowerStr(name string) (string, int) {
    return strings.ToLower(name), len(name)
}
```

```
func main() {  
    lowerName, len := ToLowerStr("NOE") // on a le droit mais c'est pas beau non plus  
    fmt.Printf("%s (len=%d)\n", lowerName, len)  
  
    _, len = ToLowerStr("Paul ABIB, oui le seul le vrai l'unique")  
    fmt.Printf("bob len=%d\n", len)  
}
```

Revision #1

Created 2022-05-09 19:09:53 UTC by Noé Larrieu-Lacoste

Updated 2022-05-09 19:10:26 UTC by Noé Larrieu-Lacoste